

Republic of the Philippines Republic Act 7611

## PALAWAN COUNCIL FOR SUSTAINABLE DEVELOPMENT STAFF

PCSD Bldg., Sports Complex Road, Brgy. Sta. Monica, Puerto Princesa City, Palawan

## REQUEST FOR QUOTATION

The Palawan Council for Sustainable Development Staff (PCSDS), will undertake a Public Bidding Procurement for the "EEED Photo-equipment & Accessories" in accordance with Section 53.9 of the Implementing Rules and Regulations of Republic Act No. 9184.

Name of Project

EEED Photo-equipment & Accessories

Approved Budget for : Php 482,000.00

Specifications

See the attached "Annex A" for specifications

Location

PCSD Building, Sta. Monica, Puerto Princesa City, Palawan

**Delivery Term** 

Proceed

Within Thirty (30) calendar days from receipt of the Notice to

Interested supplier are required to submit their valid and current Mayor's Permit, 2017 Income/Business tax Return, PhilGEPS registration Number, and price quotation form (Annex "A") during submission of offer/quotation.

Award of contract shall be made to the lowest quotation, which complies with the minimum description as stated above and other terms and conditions stated in the price quotation form.

Any interlineations, erasures or overwriting shall be valid only if they are signed or initialled by the bidder or his/her duly authorized representative/s.

Submission of quotation and eligibility documents is on or before 9:00am of NOV 2 0 2018 at the Property & Supply Unit, PCSD Building, Sta. Monica, Puerto Princesa City. Open submission may be submitted, manual or through facsimile at fax no. 434-4234.

For inquiry, you may contact us at tel nos. 434-4234 & 4235.

Very truly yours,

MICHELLE ANDREA AUGUST SABUYA

Head, BAC Secretariat

Republic of the Philippines

Palawan Council for Sustainable Development Staff

PCSD Building, Sports Complex Rd., Sta. Monica, Puerto Princesa City

## PRICE QUOTATION FORM

The Bids and Awards Committee
Palawan Council for Sustainable Development Staff
PCSD Building, Sta. Monica, Puerto Princesa City

			-
OFNoQ	0	0.1	
QF No.	0 9	Uo I	•

Sir/Madam:

After having read and accepted the terms and conditions in the Request for Quotation, hereunder is our

quotation/s for the item/s as follows;

escription	Specifications	Qty	Unit	Unit Price	Total Price
	EEED photo-equipment & accessories	CIF 1 U	Black tra	os han all	e truli ini
1. (1) 1. (1) 18/19	DSLR camera with 18-55mm kit (24.2MP APS-C CMOS sensor; 19-point autofocus system; Hybrid CMOS AF III focus system (live view) 7560 pixel RGB + IR metering sensor with skin tone detection; 3" fully articulating touchscreen LCD 5 fps continuous shooting 1080/30p video)		Unit	mathiy se 186 c.r. ma	illo alma ho 10° o millo
71 ( E7	HD DSLR Camera body with speedlite flash unit(26.2MP Full-frame CMOS Sensor; Approx. 35.9 x 24.0mm (Full Frame) CMOSDual Pixel CMOS AF 45-point all cross-type AF; up to 6.5fps continuous shooting; ISO 100 – 40000 (expandable to 102400); GPS, Wi-Fi, NFC and Bluetooth low energy; Dual Pixel CMOS AF and Vari-angle Touch Panel LCD monitor; Approx. 765g / 26.98oz. (including battery pack and card) / Approx. 685g / 24.16oz. (body only)	Pobla	W 15(1)	inton, Palaw inton, Palaw ie Special I	esse - Fermi
	of Joseph T. Eaylo	2	Unit		
12MP capture audio j	GoPro Underwater Camera (2-inch touch display 12MP camera with HyperSmooth OIS; up to 4K, 60fps video capture; 8x slow motion; WiFi; bluetooth; GPS; USB Type-C; 3.5mm audio jack; microHDMI port; Water resistance up to 10m; 1220mAh removable battery; 62.3 x 44.9 x 28.3 m; 116g	d by t es 201 ation, c	e sann Frautes Parant	topa Goda (18 C) 2 w Special C	manent t Dis A k se Person
	who purchased.	1	Unit		
as Seri	camera with flexi-microphone (Weight 268 g; Output Power (with camera) 8 W; Angular Vibration Range; ±0.02°; Mount Detachable; Controllable Range Tilt: -35° to +135°; Pan: ±320°; Roll: ±30°; Mechanical Range Tilt: -50° to +140°; Pan: ±330°; Roll: -50° to +90°; Max Controllable Speed 120°/s; Sensor 1/2.3" CMOS;	foliony maritim	ing ma Camen Camen	rama al Tasa es colhecto En ene puel	trang, control spain tran skirkers zet
	Effective pixels: 12.40 M; (Total pixels: 12.76 M); Lens 3.5× Optical Zoom 22 - 77mm Equivalent F2.8 (Wide) - F5.2 (Tele) FOV 92° (Wide) - 35° (Tele) Focus 0.5 m to infinity; ISO Range 100-3200 (video); 100-1600 (photo); Electronic Shutter Speed 8 s-1/8000 s; (up to 30 s when camera is in M mode); Max. Image Size 4000 x 3000 pixels; Still Photography Modes Single Shot; Photo Burst Mode: 3/5/7 shots; Auto Exposure Bracketing (AEB): 3/5 bracketed frames @ 0.7 EV bias; Interval Auto Panorama; Selfie; Panorama: :9-shot Panorama: Motion Timelapse; Regular Timelapse; Video Resolution C4K (4096×2160) 24/25; 4K (3840×2160) 24/25/30p; 2.7K	e Betre	Met a	i rid i sul	
	(2704×1520) 24/25/30p; FHD: 1920×1080 24/25/30/48/50/60/100p; Video Recording Modes Auto: Slow Motion; Max. Video Bitrate 60 Mbps Supported File Formats FAT32(≤32 GB); exFAT (>32 GB)Photo	alan Kr	osiamo	rio ambon	
	Formats JPEG, DNG(RAW); Video Formats MP4/MOV (MPEG-4 AVC/H.264); Supported SD Cards Micro SD; Max. Capacity: 64 GB;Class 10 or UHS-1; Operating Temperature 32° to 104° F (0° to 40° C); Audio Output 48 KHz; AAC	Pitiam (WE)	tin	eras ih wa	
20	to the contract of the contrac	it i (ui - )		1	

any of

Canon EOS 77D DSLR Camera 55-250mm lens	1	Unit		
Sigma 18-300mm F3 5-6.3 Contemporary DC macro OS HSM lens for Canon	1	Unit		
3-axis gimbal stabilizer (Built-In Functions Three Operation Modes-Underslung Mode -Upright Mode -Briefcase Mode; Built-in, independent IMU module; bluetooth Module USB Connection; 2.4GHz Receiver; Temperature Sensor; Advanced 32-Bit DSP Processor; D-Bus Receiver Supported; Working Current Static current: 300mA (@16V); Dynamic current: 600mA (@16V); Locked motor current: Max 10A (@16V); Run Time 3 hours; Operating Temperature 5° F ~ 120° F (-15° C ~ 50° C); Weight 2.3kg (5.07lb) fully loaded with handlebar; Gimbal Dimensions 500mm(W) x 210mm(D)x 420mm(H); Camera Tray Dimensions Maximum depth at center of mass on camera base plate: 120mm; Maximum height: 195mm; Maximum width: 160mm Accessory Power Connections 12V Regulated P-Tap x 2, USB 500mW x 1, DJI Lightbridge x 1; Connections 2.4GHz Remote Controller, Bluetooth 4.0, USB 2.0	1	unit		
zoom lens kitt Nikon AF-P DX NIKKOR 70-300mm f/4.5-6.3G ED VR Lens + 58mm 3 Piece Filter Set (UV, CPL, FL) + LENS CAP 58MM + 58mm Lens Hood + Lens Pen Cleaner + Cleaning Cloth + Lens Cap + SLR Lens Pouch Bundle with speedlight SB-5000)	1	set		
 carbon fiber tripod kit with 8V10H Head (100mm)	1	Unit		

(Amount in words)

The above-quoted prices are inclusive of all costs and applicable taxes.

Very truly yours,

Name/Company/Signature of Representative Contact No.

EVARISTA & PALANCA Projemberelogment Office. " LEGNORA D. LABRADOR FORCES DEVElopment office.")

The Note of the Control of the Market Control of the State of the Stat

The second was selected to the selection of the second to the second selection of the date of a selection of the second second second selection is a second selection of the second selection selection of the second selection sele

of a course of the second second second second in the second of the second seco