



**SUPPLEMENTAL BID BULLETIN NO. 2025-02**

PhilGEPS Reference No. 12069607

This Supplemental Bid Bulletin dated **05 June 2025** is being issued to amend certain provisions of the Bidding Documents PR No. 25-10-004: Supply and Delivery of Various ICT Supplies for PCSDS (FY 2025), to wit;

ENTRY IN THE BIDDING DOCUMENT	AMENDMENT/REVISION
<b>SECTION VI (SCHEDULE OF REQUIREMENTS) OF THE BIDDING DOCUMENTS</b>	
Item Number 16:	Item Number 16:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 27:	Item Number 27:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 28:	Item Number 28:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 46:	Item Number 46:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 61:	Item Number 61:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 62:	Item Number 62:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 63:	Item Number 63:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 83:	Item Number 83:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 91:	Item Number 91:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 92:	Item Number 92:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 103:	Item Number 103:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 108:	Item Number 108:
Unit of Measure: "unit"	Unit of Measure: "set"
Item Number 113:	Item Number 113:
Unit of Measure: "unit"	Unit of Measure: "set"

**Head Office:**

<b>SECTION VII (TECHNICAL SPECIFICATIONS) OF THE BIDDING DOCUMENTS</b>	
<p>17.High-end Router</p> <p>WiFi 6 or WiFi 7 with backwards compatibility Gigabit Ethernet ports 1 or 2 WAN ports Wireless signal with backwards compatibility Supports dual operation (WiFi and access point)</p>	<p>17.High-end Router</p> <p>at least WiFi 6 or higher with backwards compatibility Gigabit Ethernet ports 1 or 2 WAN ports Wireless signal with backwards compatibility Supports dual operation (WiFi and access point)</p>
<p>21.Router</p> <p>WiFi 5 or WiFi 6 with backwards compatibility Gigabit Ethernet ports single WAN port Wireless signal with backwards compatibility supports dual operation (WiFi and access point)</p>	<p>21.Router</p> <p>at least WiFi 6 or higher with backwards compatibility Gigabit Ethernet ports single WAN port Wireless signal with backwards compatibility supports dual operation (WiFi and access point)</p>
<p>22. Server Expansion Card</p>	<p>22. Server Expansion Card (For existing QNAP)</p> <p>Dual-port External SAS 12Gb/s storage expansion card (Legacy) Standard Warranty: 3 years Controller: Broadcom SAS3008 Connector: Two (x4) SFF-8644 PCIe and Lanes: PCIe Gen 3 x8 Bracket: Low-profile (default). Desktop and Full-height brackets are also included. Supported Cable: CAB-SAS05M-8644, CAB-SAS10M-8644, CAB-SAS10M-8644-8088</p>
<p>24.Speaker (portable, rechargeable)</p> <p>Rechargeable Portable (may gulong) Bluetooth capable Ports: Audio In (XLR, TRS, RCA), Audio Out (RCA, XLR) With mini LCD display With Equalizer, Mic Echo adjust wireless microphone</p>	<p>24.Speaker (portable, rechargeable)</p> <p>Rechargeable Portable Bluetooth capable Ports: Audio In (XLR, TRS, RCA), Audio Out (RCA, XLR) With mini LCD display With Equalizer, Mic Echo adjust wireless microphone</p>
<p>26.Wifi Access-point</p> <p>Outdoor Access Point Power over Ethernet WiFi 5 or 6 with backward compatibility</p>	<p>26.Wifi Access-point</p> <p>Outdoor Access Point Power over Ethernet at least WiFi 5 or 6 with backward compatibility</p>



<p>39.High-end DDR4 Memory</p> <p>Power Supply:          VDD: 1.2V (Typical)          VDDQ: 1.2V (Typical)          VPP: 2.5V (Typical)          VDDSPD: 2.2V to 3.6V</p> <p>Features:          On-Die Termination (ODT)          16 Internal Banks (4 groups of 4 banks)          Bi-Directional Differential Data Strobe          8-bit Pre-fetch          Burst Length (BL) switch on-the-fly: BL8 or BC4 (Burst Chop)          Height: 1.34 inches (34 mm) with heatsink</p>	<p>39. High-end DDR4 Memory (for laptop)</p> <p>Power Supply:          VDD: 1.2V (Typical)          VDDQ: 1.2V (Typical)          VPP: 2.5V (Typical)          VDDSPD: 2.2V to 3.6V</p> <p>Features:          On-Die Termination (ODT)          16 Internal Banks (4 groups of 4 banks)          Bi-Directional Differential Data Strobe          8-bit Pre-fetch          Burst Length (BL) switch on-the-fly: BL8 or BC4 (Burst Chop)          Height: 1.34 inches (34 mm) with heatsink          16GB</p>
<p>41.Laptop batteries</p> <p>1 pc Battery for Dell Inspiron 7400:          Battery Type: 4-Cell Lithium-ion          Capacity: 52 Wh          Voltage: 15.2V</p>	<p>41.Laptop batteries</p> <p>1 pc Battery for Dell Inspiron 7400:          Battery Type: 4-Cell Lithium-ion          Capacity: 52 Wh          Voltage: 15.2V          Serial Number: 2V4BY93</p>
<p>42.Laptop batteries</p> <p>3 pcs Battery for Acer Aspire A315-55G:          Battery Type: 2-Cell Lithium-ion          Capacity: 36 Wh          Voltage: 7.6V</p>	<p>42.Laptop batteries</p> <p>3 pcs Battery for Acer Aspire A315-55G:          Battery Type: 2-Cell Lithium-ion          Capacity: 36 Wh          Voltage: 7.6V          Serial Number: NXHNSSP002949032387600</p>
<p>43.Laptop batteries</p> <p>1 Pc Battery for Acer Nitro AN515-51 laptop:          Battery Type: Lithium-ion (Li-ion)          Capacity: 48 Wh or 3220 mAh (varies by configuration)          Voltage: 15.2V          Cells: 4-cell battery</p>	<p>43.Laptop batteries</p> <p>1 Pc Battery for Acer Nitro AN515-51 laptop:          Battery Type: Lithium-ion (Li-ion)          Capacity: 48 Wh or 3220 mAh (varies by configuration)          Voltage: 15.2V          Cells: 4-cell battery          Serial Number:          NHQ2QSP0067430642D3400</p>
<p>45.Laptop Memory RAM</p> <p>Type: DDR4          Capacity: 16 GB          Speed: 3200 MHz (PC4-25600)          Form Factor: SODIMM          Voltage: 1.2V          CAS Latency: CL2</p>	<p>45. Laptop Memory RAM</p> <p>Type: DDR4          Capacity: 16 GB          Speed: 3200 MHz (PC4-25600)          Form Factor: SODIMM          Voltage: 1.2V          CAS Latency: CL22</p>

Head Office:



<p>47.Memory cards (64gb)</p> <p>Performance: Fast transfer speeds up to 140MB/s for quick file movement.          Capacity: Available up to 1TB for storing more Full HD videos, photos, music, and apps.          Compatibility: Works seamlessly with Android smartphones and tablets.          A1-rated Performance: Loads apps faster, enhancing overall device performance.</p>	<p>47.Memory cards (SD Card) (64gb)</p> <p>Performance: Fast transfer speeds up to 140MB/s for quick file movement.          Capacity: Available up to 1TB for storing more Full HD videos, photos, music, and apps.          Compatibility: Works seamlessly with Android smartphones and tablets.          A1-rated Performance: Loads apps faster, enhancing overall device performance.</p>
<p>61.Konica Minolta A0V30HF Magicolor Cartridge</p> <p>Toner Cartridge          Brand: Konica Minolta          SKU: A0V30HF          UPC: 039281051371          Product Type: Toner Cartridge          Color: Cyan          Page Yield: 2,500 Pages          Pack Type: Single Pack</p>	<p>61.Epson L5290 Ink (2 sets)</p> <p>Each set includes:          Black: 003          Cyan: 003          Magenta: 003          Yellow: 003</p>
<p>65.4-in-1 Wifi/ADG A3 Colour Printer</p> <p>Functions: Print, Scan, Copy, Fax (with ADF)          Print Tech: PrecisionCore™          Max Resolution: 4800 x 2400 dpi          Print Speed: Up to 25 ipm (A4 Black), 13.5 ipm (A3 Black)          Duplex: Yes, up to A3</p> <p>Copy/Scan: Up to A3, 1200 x 2400 dpi, ADF supported          Fax: Color &amp; BW, up to 200 x 200 dpi, 6MB memory          Paper Input: 550 sheets total (2 cassettes + rear tray)</p> <p>Max Paper Size: 329 x 6000mm          Connectivity: USB 2.0, Ethernet, Wi-Fi, Wi-Fi Direct</p> <p>Mobile Print Support          Display: 4.3"Color Touchscreen          Ink Yield: Black - 7,500 pages, Color - 6,000 pages</p> <p>Power Use: 19W (operating), 0.2W (off)</p>	<p>65.4-in-1 Wifi/ADF A3 Colour Printer</p> <p>Functions: Print, Scan, Copy, Fax (with ADF)          Print Tech: At least PrecisionCore™ or equivalent          Max Resolution: At least 4800 x 2400 dpi or higher          Print Speed: Up to 25 ipm (A4 Black), 13.5 ipm (A3 Black)          Duplex: Yes, up to A3</p> <p>Copy/Scan: Up to A3, 1200 x 2400 dpi, ADF supported          Fax: Color &amp; B/W, up to 200 x 200 dpi, 6MB memory          Paper Input: 550 sheets total (2 cassettes + rear tray)</p> <p>Max Paper Size: 329 x 6000 mm          Connectivity: USB 2.0, Ethernet, Wi-Fi, Wi-Fi Direct</p> <p>Mobile Print Support          Display: at least 4.3" Color Touchscreen          Ink Yield: Black – 7,500 pages; Color – 6,000 pages</p>

Head Office:



<p>Dimensions: 515 x 500 x 350 mm          Weight: 20.7 kg</p> <p>Warranty: 2 years or 80,000 prints</p>	<p>Power Use: 19W (operating), 0.2W (off)          Dimensions: at least 515 x 500 x 350 mm          Weight: 20.7 kg or higher</p> <p>Warranty: At least 2 years or 80,000 prints</p>
<p>66.Drone batteries</p> <p>for DJI MAVIC 2 ZOOM          High-capacity LiPo cells          31 Minutes of flight time          Multiple intelligent battery protection features</p> <p>In the Box          Intelligent Flight Battery × 1</p> <p>Specifications          Battery Type: Four-cell LiPo battery          Rated Capacity: 3850 mAh, 59.29 Wh          (Typical Value)          Rated Voltage: 15.4 V          Limited Charge Voltage: 17.6 V          Charge Temperature: -10-60°C          Discharge Temperature: 5-40°C</p>	<p>66.Drone batteries</p> <p>Screen Size: 27" Curved          Resolution: 1920 x 1080 Full HD          Refresh Rate: 240 Hz Adaptive Sync          Response Time: 5 ms          Color Supported: 16.7 Million</p> <p>Adaptive Contrast Management:          100,000,000:1          Brightness: 250 cd/m<sup>2</sup>          Backlight: LED          Viewing Angles: 178° Horizontal / 178°          Vertical          Panel Type: Vertical Alignment (VA); Curved          Speakers: 2 x 2 W          Ports &amp; Connectors: HDMI, 1x DisplayPort,          Headphone          Power: (Standby / Off / Max / On) 500 mW          / 400 mW / 48 W / 30 W          Environmental Certification: MPR II          VESA Compatible: Yes (75 x 75mm)          Dimensions: (W x H x D) 24.06" x 14.29"          x 2.99" (w/o stand) 24.6" x 18.3" x 7.7"          (with stand)</p>
<p>67.Ink for 4-in-1 Wifi/ADF A3 Colour Printer</p> <p>Epson Pigment Black Ink Bottle 008          Epson Pigment Cyan Ink Bottle 008          Epson Pigment Magenta Ink Bottle 008          Epson Pigment Yellow Ink Bottle 008</p>	<p>67.Ink for 4-in-1 Wifi/ADF A3 Colour Printer</p> <p>Epson Pigment Black Ink Bottle 008 or its          equivalent          Epson Pigment Cyan Ink Bottle 008 or its          equivalent          Epson Pigment Magenta Ink Bottle 008 or its          equivalent          Epson Pigment Yellow Ink Bottle 008 or its          equivalent</p>
<p>68.Micro SD Card</p> <p>1TB micoSDXC Card [190MBS/130MBS]</p>	<p>68.Micro SD Card</p> <p>At least 1TB micoSDXC Card          [190MBS/130MBS]</p>
<p>69.Mouse (High end)</p> <p>Dimensions:          Height: 4.45 in (113 mm)          Width: 2.44 in (62 mm)</p>	<p>69.Mouse (High end)</p> <p>Dimensions:          Height: At least 4.45 in (113 mm)          Width: At least 2.44 in (62 mm)</p>

**Head Office:**



<p>Depth: 1.50 in (38 mm)          Weight: 3.17 oz (90 g)          Cord: Cable length: 70.87 in (180 cm)          Sensor Technology: Optical Tracking          DPI (Min/Max): 1000±          Buttons: Number of Buttons: 3 (Left/Right-click, Middle click)          Scrolling: Line-by-line scrolling          USB Type: USB-A Cord</p>	<p>Depth: At least 1.50 in (38 mm)          Weight: 3.17 oz (90 g) or higher          Cord: Cable length: 180 cm or higher          Sensor Technology: Optical Tracking or its equivalent          DPI (Min/Max): 1000±          Buttons: Number of Buttons: 3 (Left/Right-click, Middle click)          Scrolling: Line-by-line scrolling          USB Type: USB-A Cord</p>
<p>70.ROM HDD for Server (8TB)</p> <p>Packaging : Bare Drive*1, Data cable*1, Mounting screw*4          Interface : SATA 6.0Gb/s          Capacity : 16TB          RPM :7200 RPM          Cache : 256MB          Sealing gas: Helium          Recording Technology : CMR/PMR          Height (maximum) : 26.11mm          Width (maximum) : 101.85mm          Length (maximum) : 147.00mm</p>	<p>70. ROM HDD for Server (16TB)</p> <p>Packaging : Bare Drive*1, Data cable*1, Mounting screw*4          Interface : SATA 6.0Gb/s or its equivalent          Capacity : 16TB or higher          RPM :7200 RPM or higher          Cache : 256MB or higher          Sealing gas: Helium or its equivalent          Recording Technology : CMR/PMR          Height (maximum) : 26.11mm          Width (maximum) : 101.85mm          Length (maximum) : 147.00mm</p>
<p>71.SD Memory Cards</p> <p>64GB Storage Capacity          UHS-I / V30 / U3 / Class 10          Max Read Speed: 200 MB/s          Max Write Speed: 90 MB/s          Brand new and authentic</p>	<p>71. SD Memory Cards</p> <p>64GB Storage Capacity or higher          UHS-I / V30 / U3 / Class 10          Max Read Speed: 200 MB/s          Max Write Speed: 90 MB/s          Brand new and authentic</p>
<p>72.Wireless earpods (bluetooth)</p> <p>Features:          Deep Bass Sound          Comfortable fit          Up to 32 (8h + 24h_ total hours of battery life with speed charging          Hands-free calls with VoiceAware          Water and dust resistant          Headphones App compatible</p> <p>Driver size: 8 mm/ .315" Dynamic Driver          Power supply: 5 V 1 A          Earbud: 4.5 g per pc (9 g combined)/ .99 lbs per pc (.198 lbs combined)          Charging case: 34b/.75lbs</p>	<p>72. Wireless earpods (Bluetooth)</p> <p>Features:          Deep Bass Sound or its equivalent          Comfortable fit          Up to 32 (8h + 24h) total hours of battery life with speed charging          Hands-free calls with VoiceAware          Water and dust resistant          Headphones App compatible</p> <p>Driver size: 8 mm/ .315" Dynamic Driver          Power supply: 5 V 1 A          Earbud: At least 4.5 g per pc (9 g combined)/ .99 lbs per pc (.198 lbs combined)          Charging case: 34g/ .75lbs or higher</p>

**Head Office:**



Earbud dimensions (Height*Width*Depth): mm/in 21.5*2.4*15.8/ .85* .8* .62 Charging case dimensions ((Height*Width*Depth): mm/in 68.9*37*26.7/2.71*1.45*1.5 Earbud battery type: Lithium-ion polymer (55 mAh/3.8 V) Music Playtime with BT on: up to 8 hrs Talk time: 4.5 hrs Bluetooth version: 5.2	Earbud dimensions (Height * Width * Depth): mm/in 21.5*2.4*15.8/ .85* .8* .62 or higher Earbud battery type: Lithium-ion polymer (47 mAh/ 3.8 V) or its equivalent Charging case battery type: Lithium-ion polymer (55 mAh/ 3.8 V) or its equivalent Music playtime with BT on: 8 hrs or higher Talk time: 4.5 hrs or higher Bluetooth version: 5.2
86.Flash drive  256GB Micro SD Dimensions: 6x7x9 cm Generation: USB 2.0	86.Flash drive  256GB Dimensions: 6x7x9 cm Generation: USB 2.0
105.Flash drive (128gb)  Interface: USB 3.2 USB Connector: USB Type-A Read Performance: 32-256GB up to 70 MB/s System Compatibility: Windows 7, 8, 10; Mac OS: 10.x and above Model: x718w Storage Capacity: 64GB	105. Flash drive (128gb)  Interface: USB 3.2 USB Connector: USB Type-A Read Performance: 32-256GB up to 70 MB/s System Compatibility: Windows 7, 8, 10; Mac OS: 10.x and above Model: x718w
108.Printer ink set For Epson EcoTank L11050 replacement ink bottles (7 bottles) Black Ink Bottle 003 (7 bottles) Cyan Ink Bottle 003 (7 bottles) Magenta Ink Bottle 003 (7 bottles) Yellow Ink Bottle 003	108.Printer ink set (each set contains): For Epson EcoTank L11050 replacement ink bottles (7 bottles) Black Ink Bottle 003 (7 bottles) Cyan Ink Bottle 003 (7 bottles) Magenta Ink Bottle 003 (7 bottles) Yellow Ink Bottle 003

The foregoing shall form as in integral part of the Bidding Documents for **PR No. 25-10-004: Supply and Delivery of Various ICT Supplies for PCSDS (FY 2025)**. Any provision in the Bidding Documents inconsistent herewith is hereby amended, modified and superseded accordingly.

For the information and guidance of all concerned.

Thank you.

  
**JOHN FRANCISCO A. PONTILLAS, EnR**  
 Chairperson